


**LEADING EDUCATIONAL MULTIMEDIA
TECHNOLOGY AND SOLUTION PROVIDER**

DGM 2500



ATDSC DGM 2500

Features
Mild Steel Material Stand alone Digital Podium Wheels with lock Smooth round edge at the top Tray For Keyboard Single sliding tray with lock for protection of the Interactive Panel and Controller Space for 19" or 22" Interactive panel with manual angle adjustment Drawer with lock for Visualizer Shelf for keeping laptop or Documents Locks for safety Standard Rack to keep all the equipment and PC
Extended Ports
VGA Out x 1 HDMI Out X 1 Video Out X 1 Audio Out x 1 Power Input x 1 USB x 2 Splitter : 1 In 2 Out HDMI
Central Control System
Controller with easy identified keys (17 Membrane Keys)- Projector On Off, Motorised Screen Up & Down, Switching between PC, Visual Presenter and laptop, Volume Control Front Panel should have- Power Plug of 220 Volt Power out for Laptop etc., VGA Port X 01, Laptop Audio Input X 01, Network Port wired Internet x 01, USB X 01 Ports to facilitate inputs directly from Pen Drives / USB based hard disk Drive. 1 X USB for SW Update Ports for Microphone Input, 1 Video Port, 2 Audio Port (Left and Right) Back Panel of the Controller - Projector IR Controller, RS 232 X 1 for Projector Control 2 X HDMI Input 1 X HDMI Out 2 X 2 VGA matrix 2 USB Ports for front connectivity Network Port for front connectivity 3 Video In and 1 Video out, 3 Audio (Left) in , 3 Audio (Right) in, 1 Audio (Left) Out , 1 Audio (Right) Out Projector Power X 1 Electric Screen Power X 1 Touch Mode active in Interactive Panel simultaneously both with Desktop PC and Laptop.
Built-in Audio :
Microphone: Gooseneck Microphone X 1 Cordless Collar Microphone X 1 Handheld Cordless Microphone X 1 Mixer Amplifier : 120 watt X 1 Speakers : 20 Watt(each) Wall Mount Speakers X 2
Interactive Panel
Panel Type : Backlit LED Display Size:19" Resolution : 1920 x 1080 pixels Brightness : 300cd/m ² Contrast: 1000:1 Lpi : 4000 Connectivity : HDMI in x 1; Dvi x 1 Technology : Electromagnetic with Pen with built-in rechargeable facility with USB cable Interface : USB Pressure Sensitivity : 2048 Levels Data Report : 200 reports / per second Accuracy : ±0.5mm OS : Windows / Vista / Mac / Linux Software Feature : Annotation on Blank screen, Power Point and on other application of Windows
PC (Optional)
Desktop PC : Core : i5, 4 GB RAM, 8 th Generation, 1 TB HDD , Windows , Keyboard & Mouse
Visualizer
Pick-up Device : 3.2 Mega Pixel 1/3" CMOS Still Image Resolution : XGA, SXGA, 720P, 1080P Frame Rate : 20 frames/sec. Image Mode : Normal/Photo/Text/Slide/Film/Gray Zoom : 12 X Optical Zoom and 12X Digital Lamp : Two Side Lights and One Base Light Built -in Image Capture : Yes Image Storage Built In the Visualizer TV Lines : 800 TV Lines Image Effect : Mirror, Rotation, Split, Black & White, Negative Image Split : Yes Focusing and White Balance : Auto / Manual Video Recording with Sound : Yes; Inputs : VGA X 2 HDMI X 1 Video X 2 Audio X 2 Outputs : VGA X 2 HDMI X 1 Video X 1 Audio x 1 Others : Slave USB X 1 Simultaneous output both from VGA and HDMI to the display acting as Splitter Weight : 3.5 kg.

NOTE: Design and specification are subject to change without notice.



- Ahmedabad • Akola • Allahabad • Bareilly • Bhopal • Bhubhneswar
- Chandigarh • Chennai • Goa • Guwahati • Hyderabad • Imphal
- Indore • Jabalpur • Jalandhar • Jammu • Jamnagar • Jamshedpur
- Jhasi • Jorhat • Kanpur • Kashmir • Kolkata • Lucknow • Ludhiana
- Pune • Raipur • Silliguri • Srinagar-Uttarakhand • Varanasi